Juanita Infusion

Sample ID: BIA250811S0001
Strain: HL-SCLT0083-2-Juanita

Matrix: Plant
Type: Preroll
Sample Size: 1 units
Lot#:

Produced:
Collected:
Received: 08/27/2025
Completed: 09/03/2025
Batch#:

Client
Hidden Leaf Homestead

Summary

Test	Date Tested	Result
Sample		Complete
Cannabinoids	08/28/2025	Complete
Moisture	08/27/2025	9.70% - Complete
Water Activity	08/27/2025	0.471 aw - Complete
Terpenes	08/27/2025	Complete

Cannabinoids

Completed

10.41%	9.98%	24.84%
Total THC	Total CBD	Total Cannabinoids

Analyte	LOQ	Mass	Mass
	%	%	mg/g
CBDVa	0.0000	0.07	0.7
CBDV	0.0000	0.05	0.5
CBDa	0.0001	7.71	77.1
CBGa	0.0001	0.95	9.5
CBG	0.0001	0.20	2.0
CBD	0.0001	3.22	32.2
THCV	0.0000	0.05	0.5
CBLV	0.0000	0.07	0.7
CBCV	0.0000	<LOQ	<LOQ
THCVa	0.0000	0.10	1.0
CBN	0.0001	<LOQ	<LOQ

Analyte	LOQ	Mass	Mass
	%	%	mg/g
CBCVa	0.0000	<LOQ	<LOQ
CBNa	0.0000	0.09	0.9
Δ9-THC	0.0001	2.66	26.6
Δ8-THC	0.0000	<LOQ	<LOQ
Δ10-THC*	0.0000	<LOQ	<LOQ
CBL	0.0001	<LOQ	<LOQ
CBC	0.0000	0.23	2.3
THCa	0.0001	8.83	88.3
CBCa	0.0001	0.59	5.9
CBLa	0.0001	<LOQ	<LOQ
Total THC		**10.41**	**104.06**
Total CBD		**9.98**	**99.84**
Total		**24.84**	**248.43**

Analyst: 056
Cannabinoids Methodology: High Performance Liquid Chromatography (HPLC) using PerkinElmer FLEXAR™ with Photo Diode Array Detector (PDA)
Total CBD and total THC are calculated values, to account for assumed decarboxylation from the acid form (THCA or CBDA) to the neutral form, causing weight loss of the acid group. These values are calculated as follows:
TotalTHC=(THCAx0.877)+Δ9-THC
Total CBD = (CBDA x 0.877) + CBD Reagent
Blanks: < LOQs for all analytes
LOQ = The lowest quantity that this method can reliably detect. Any cannabinoid that was not detected is assumed to be less than the stated LOQ (<LOQ).
All results reflect dry weight of material, based on % moisture of the sample.
Measurement of Uncertainty (MU): the parameter, associated with the result of a measurement, that characterizes the dispersion of the values that could reasonably be attributed to the particular quantity subject to measurement. Δ9-THC MU = ±0.005% Total THC MU = ±0.007%
All other cannabinoid MU values are available upon request.
All moisture and water activity analysis is determined by dewpoint measurement using an AQUALAB water activity meter.
*The result is the sum of delta-10 isomers.

Luke Emerson-Mason
Laboratory Director
09/03/2025

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com

This report shall not be reproduced except in full without approval of the laboratory. This is to provide assurance that parts of a report are not taken out of context. All results apply to this sample as received.

Juanita Infusion

Sample ID: BIA250811S0001
Strain: HL-SCLT0083-2-Juanita

Matrix: Plant
Type: Preroll
Sample Size: 1 units
Lot#:

Produced:
Collected:
Received: 08/27/2025
Completed: 09/03/2025
Batch#:

Client
Hidden Leaf Homestead

Terpenes

Completed

Analyte	LOQ	Results	Results
	mg/g	mg/g	%
β-Caryophyllene	0.010	2.433	0.243
β-Myrcene	0.010	1.504	0.150
Limonene	0.010	1.238	0.124
α-Humulene	0.010	1.006	0.101
α-Pinene	0.010	0.964	0.096
Linalool	0.010	0.930	0.093
Terpinolene	0.010	0.667	0.067
Ocimene	0.010	0.596	0.060
β-Pinene	0.010	0.590	0.059
3-Carene	0.010	0.075	0.008
α-Terpinene	0.010	0.052	0.005
α-Bisabolol	0.010	0.049	0.005
γ-Terpinene	0.010	0.049	0.005
Guaiol	0.010	0.049	0.005
Eucalyptol	0.010	0.041	0.004
Camphene	0.010	0.039	0.004
Caryophyllene Oxide	0.010	0.021	0.002
cis-Nerolidol	0.010	<LOQ	<LOQ
Geraniol	0.010	<LOQ	<LOQ
Isopulegol	0.010	<LOQ	<LOQ
p-Cymene	0.010	<LOQ	<LOQ
trans-Nerolidol	0.010	<LOQ	<LOQ
Total		**10.305**	**1.031**

Primary Aromas



Analyst: 048
LOQ = The lowest quantity this method can reliably detect. Any terpene that was not detected is assumed to be less than the stated LOQ (<LOQ).
Terpene Methodology: Headspace Sampler, Gas Chromatography-Mass Spectrometry (GC-MS), using Perkin Elmer Clarus® SQ8 GC MS
Reagent Blanks: < LOQs for all analytes
All results reflect dry weight of material, based on % moisture of the sample.
All moisture and water activity analysis is determined by dewpoint measurement using an AQUALAB water activity meter.

Luke Emerson-Mason
Laboratory Director
09/03/2025

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com

This report shall not be reproduced except in full without approval of the laboratory. This is to provide assurance that parts of a report are not taken out of context. All results apply to this sample as received.